




VIPER™ STRIKE™ TRACK SET

INSTRUCTIONS


Requires 2 "D" size batteries (not included).



POWER
CHARGER® BOOSTER




PILLAR



45° CURVES

TRACK CONNECTOR



RAMP




CURVE TRANSITIONS




VIPER™



HOT WHEELS® CAR



BASE



HIGH WALL
TRACKS (17-1/2")



HIGH WALL
TRACK (6-1/2")

 **WARNING:**

CHOKING HAZARD - Small parts.
Not for children under 3 years.


25497-0920 G1



*Keep these instructions for future reference
as they contain important information.*


ASSEMBLE VIPER™ RAMP

3.



2. Slide pins under and pull up to snap into slots.


1.




4.




ASSEMBLE CURVES





Connect 2 curve transitions and 2
45° curves together as shown.
Make two.



TRACK LAYOUT




Slide power switch to right to turn POWER CHARGER® booster on. Speed is variable and controlled by sliding the switch. Adjust speed as necessary for best performance.



TRACK CONNECTOR


INSTALL BATTERIES

Use only alkaline batteries. Do not use rechargeable batteries.



To open, pry up on tab at edge of battery door as shown. Insert two fresh "D" size batteries (not included). Close cover.

TO REMOVE BATTERIES




Push fingers through holes in bottom to remove batteries.

USE ONLY ALKALINE BATTERIES:

Toy may not function or operate with other types of batteries


BATTERY SAFETY INFORMATION:

1. Non-rechargeable batteries are not to be recharged.
2. Rechargeable batteries are to be removed from the toy before being charged.
3. Rechargeable batteries are only to be charged under adult supervision.
4. Do not mix alkaline, standard (carbon-zinc), or rechargeable (nickel-cadmium) batteries.
5. Do not mix old and new batteries
6. Only batteries of the same or equivalent type as recommended are to be used.
7. Batteries are to be inserted with the correct polarity.
8. Exhausted batteries are to be removed from the toy.
9. The supply terminals are not to be short-circuited.
10. Dispose of batteries safely.



Press down lever as shown to raise the viper in position to catch the car during the jump. It is best to raise the viper as the car enters the back curve.


REPLACE RUBBER BAND



BOTTOM VIEW

Thread rubber band through openings in lower jaw as shown and attach to hooks inside mouth.


PERFORMANCE AND TROUBLESHOOTING TIPS



Adjust track sidewalls at each connection point as shown.

TO STABILIZE SET:

- On carpet, use books.
- On smooth floor, tape base to surface.



2 YEAR LIMITED WARRANTY

Mattel, Inc. warrants to the original consumer purchaser that this product will be free of defects in material or workmanship for two years (unless specified in alternate warranties) from the date of purchase. If defective, return the product along with proof of the date of purchase, postage prepaid, to Consumer Adjustment Center, 15930 E. Valley Boulevard, City of Industry, California 91744 for replacement or refund at our option. This warranty does not cover damage resulting from accident, misuse, or abuse. Valid only in U.S.A. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

Send only the product to the address above. Send all correspondence to Consumer Affairs, Mattel, Inc., 333 Continental Blvd., El Segundo, CA 90245-5012, U.S.A. Or you may phone us toll-free at 1-800-524-TOYS, Monday - Friday, 8:00 a.m.- 5:00 p.m. PST; 11:00 a.m.- 8:00 p.m. EST.

CONSUMER INFORMATION



YOU CAN TELL IT'S MATTEL! CALL us toll-free or write with any comments or questions about our products or service. Monday-Friday, 8:00 a.m.-5:00 p.m. PST; 11:00 a.m.-8:00 p.m. EST. Outside U.S.A., see telephone directory for Mattel listing. Consumer Affairs, Mattel, Inc., 333 Continental Blvd., El Segundo, CA 90245 USA

1 (800) 524-TOYS



CONFORMS TO THE SAFETY REQUIREMENTS OF ASTM F963.

We are dedicated to quality products.